





Product Specifications

Slope® + Slope® Jr




Magnuson Group provides a unique blend of excellent product design, quality, value and customer service. We have built our name by designing, manufacturing and marketing the industry's finest products within our focused niche of support furniture and accessory products. We represent the contract furniture market's most complete line of high-design accessories and support furniture for commercial facilities.

SLOPE® Product Images



Slope® Product Specifications



Design Story


Designed by MG Studio, the aesthetically pleasing Slope® features an angular top providing accessible and identifiable recycling streams while preventing waste from being left on top of the lid. SLOPE® is offered in powder-coat finishes, and offers a myriad of combinations to suit any customer space and requirement. Available in both a standard height 38-gallon and a “junior height” 32-gallon unit, SLOPE® features 3 single top openings [waste, recycling & paper] and 5 double-top openings [combinations of these] for maximum flexibility. SLOPE® tops are available in six paint colors. All SLOPE® units include integrated bag arms and an optional internal rigid liner. Made in the USA.



SLOPE® TOP-OPENING OPTIONS



SLOPE® STANDARD ENGLISH LABEL OPTIONS




SLOPE® MULTI-LINGUAL PICTOGRAM LABELS



Customer Service

Magnuson Group is proud of its reputation of providing outstanding customer service. We listen to your questions, concerns and opinions respectfully and will always try to assist our customers efficiently and most importantly in a friendly manner.


Slope® Ordering Instructions



HOW TO ORDER SLOPE®

When ordering Slope®, a model and a selection must be made from each option below and noted on the order. Special notes are as follows:

- Single top opening units include one reference label
- Double top opening units include two reference labels
- References are placed on top of lid above top opening
- Labels for double top units are printed in slightly smaller font size
- *Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label



Order Example:

Model # SLP-02L-DBL
 #1 Dark Anthracite Body
 #2 Capri Blue Top
 #3 Recycling/Recycling Opening
 #4 Cans label on left side, Plastic Label on right side.

SLOPE® + SLOPE® JR MODELS & SPECIFICATIONS

Model #	H x W x D	Shipping Weight	Product Description
SLP-01	38" x 16 7/8" x 18 1/8"	35 lbs.	A 38 gallon waste bin with single top opening, integrated bag arms and non-skid glides.
SLP-01L	38" x 16 7/8" x 18 1/8"	43 lbs.	A 38 gallon waste bin with single top opening, internal rigid liner, integrated bag arms and non-skid glides.
SLP-01L-DBL	38" x 16 7/8" x 18 1/8"	43 lbs.	A 38 gallon waste bin with double top opening, internal rigid liner, integrated bag arms and non-skid glides.
SLP-02	32" x 16 7/8" x 18 1/8"	32 lbs.	A 32 gallon junior height waste bin with single top opening, integrated bag arms and non-skid glides.
SLP-02L	32" x 16 7/8" x 18 1/8"	40 lbs.	A 32 gallon junior height waste bin with single top opening, internal rigid liner, integrated bag arms and non-skid glides.
SLP-02L-DBL	32" x 16 7/8" x 18 1/8"	40 lbs.	A 32 gallon junior height waste bin with double top opening, internal rigid liner, integrated bag arms and non-skid glides
SLP-GLD			Optional adjustable glides (must be ordered at same time as unit)

SLOPE® + SLOPE® JR PRODUCT OPTIONS

Body Colors

- Anodized Silver
- Dark Anthracite
- Lunar White

Single Top Opening Choices

- Waste - 8"H x 9"W
- Paper - 2"H x 12"W
- Recycling - 9"H x 4 1/4"W

Standard English Label Options

- Waste
- Paper
- Recycling
- Dark Grey
- White
- Plastic
- Glass
- Organics
- Cans
- Compost
- Landfill

Top Color Finishes

- Anodized Silver
- Dark Anthracite
- Lunar White
- Capri Blue
- Copper Brown
- Fern Green

Double Top Opening Choices



- Waste/Waste
9 1/16"H x 5"W - 9 1/16"H x 5"W
- Waste/Recycling
9 1/16"H x 5"W - 9 1/16"H x 4 1/2"W
- Waste/Paper
9 1/16"H x 5"W - 9 1/16"H x 2"W
- Recycling/Recycling
9 1/16"H x 4 1/2"W - 9 1/16"H x 4 1/2"W
- Recycling/Paper
9 1/16"H x 4 1/2"W - 9 1/16"H x 2"W

Multi-Lingual Pictogram Label Options

- WASTE • DÉCHETS • BASURAS
- LANDFILL • DÉCHARGE • VERTÉBRÉ
- PAPER • PAPIER • PAPEL
- RECYCLING • RECYCLAGE • RECICLADO
- Black
- Cactus Green
- Sunflower
- Vivid Blue
- Dark Grey
- White
- PLASTIC • PLASTIQUE • PLÁSTICO
- GLASS • VERRE • VIDRIO
- ORGANICS • ORGANIQUES • ORGÁNICOS
- COMPOST • COMPOST • COMPOSTO

** Physical finish chips are available, please contact Customer Service for details.

Slope® - Waste & Recycling Receptacles



Locally Sourced

Magnuson Group recognizes the increase in demand for building materials and products that are extracted and manufactured within the region, thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.

- 100% of Slope® materials are sourced within 95 miles of MG HQ
- 0% of Slope® materials are sourced outside 95 miles of MG HQ

LEED v4

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).

LEED V4 - ENVIRONMENTAL PROFILE & ATTRIBUTES

Program	Category & Item	Contribution
Interior Design + Construction	Materials + Resources	Storage & Collection of Recyclables
	Indoor Environmental Quality	Low-Emitting Materials
Building Design + Construction	Materials + Resources	Storage & Collection of Recyclables
	Indoor Environmental Quality	Low-Emitting Materials - Systems Furniture & Seating
Building Operations + Maintenance	Materials + Resources	Solid Waste Management - Ongoing Consumables

MAGNUSON GROUP CERTIFICATIONS



Indoor Advantage Gold Certification (SCS)

Indoor Advantage Gold certification is SCS Global Services' highest level of indoor air quality performance for furniture. The certification assures that furniture products support a healthy indoor environment by meeting strict chemical emission limits for volatile organic compounds (VOCs). To be certified, products must be tested by independent labs for compliance with the ANSI/BIFMA X7.1, and either ANSI/BIFMA e.3 or CDPH/EHLB Standard Method V1-1 for VOC emissions of concerns.



US Green Building Council (USGBC)

Magnuson Group is a proud member of the US Green Building Council (USGBC), which supports the advancement of the latest in innovative building practices & minimalizing environmental impact for a more sustainable built environment.

MAGNUSON GROUP GENERAL SUSTAINABILITY PRACTICES

Magnuson Group recognizes the importance of being good stewards to the earth. We incorporate positive environmental processes into all facets of the company. Whether the process is administrative in nature, or is in manufacturing, Magnuson Group strives to ensure that environmental concerns are made a part of the system. Some specifics include:



Steel



Wood



Plastics



Fabrics



Aluminum



Packaging



Paints



Import




Paper



Plating

Slope®-SLP-01



MATERIAL DECLARATION

Functional Unit

One 38 gallon waste bin with single top opening, integrated bag arms and non-skid glides.


Model & Dimensions

SKU: SLP-01
 HxWxD: 38" x 16 7/8" x 18 1/8"
 Shipping Weight: 35 lbs.

Color & Finishes

Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green



Total Material Components

- Cold Rolled Steel 81.10%
- Aluminum 0.4%
- Low VOC Powder Paint 1.5%
- Packaging 17%



Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).


*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration


The charts to the right detail the materials in the product, local source and pre/post recyclability information.



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ



Total Recycled Content
 Recycled Content 30.4%
 Non-Recycled Content 59.6%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%


RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	81.10%	30%	5%	0%	0%	100%	Yes
Aluminum	0.40%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	17.00%	35%	0%	100%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		30.40%	4.22%	17.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope®-SLP-01L



MATERIAL DECLARATION

Functional Unit

One 38 gallon waste bin with single top opening, internal rigid liner, integrated bag arms and non-skid glides.

Model & Dimensions

SKU: SLP-01L
 HxWxD: 38" x 16 7/8" x 18 1/8"
 Shipping Weight: 43 lbs.

Color & Finishes


Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green

*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.




Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information


Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ



Total Recycled Content
 Recycled Content 42%
 Non-Recycled Content 58%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%


RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	68.20%	30%	5%	0%	0%	100%	Yes
Aluminum	0.30%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	13.00%	35%	0%	100%	0%	100%	Yes
LLDPE Plastic Liner	17.00%	100%	10%	0%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		42.00%	5.00%	13.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope®-SLP-01L-DBL



MATERIAL DECLARATION

Functional Unit

One 38 gallon waste bin with double top opening, internal rigid liner, integrated bag arms and non-skid glides.


Model & Dimensions

SKU: SLP-01L-DBL
 HxWxD: 38" x 16 7/8" x 18 1/8"
 Shipping Weight: 43 lbs.

Color & Finishes

Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green



Total Material Components

- Cold Rolled Steel 66.2%
- Aluminum 0.3%
- Low VOC Powder Paint 1.5%
- Packaging 12%
- LLDPE Plastic Liner 20%



Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).


*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration


The charts to the right detail the materials in the product, local source and pre/post recyclability information.



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ



Total Recycled Content
 Recycled Content 44%
 Non-Recycled Content 56%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%


RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	66.20%	30%	5%	0%	0%	100%	Yes
Aluminum	0.30%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	12.00%	35%	0%	100%	0%	100%	Yes
LLDPE Plastic Liner	20.00%	100%	10%	0%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		44.00%	5.00%	12.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope®-SLP-02



MATERIAL DECLARATION

Functional Unit

One 32 gallon junior height waste bin with single top opening, integrated bag arms and non-skid glides.


Model & Dimensions

SKU: SLP-02
 HxWxD: 32" x 16 7/8" x 18 1/8"
 Shipping Weight: 32 lbs.

Color & Finishes

Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green



Total Material Components

- Cold Rolled Steel 81.20%
- Aluminum 0.3%
- Low VOC Powder Paint 1.5%
- Packaging 17%



Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).


*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration


The charts to the right detail the materials in the product, local source and pre/post recyclability information.



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ



Total Recycled Content
 Recycled Content 30.4%
 Non-Recycled Content 69.6%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%


RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	81.20%	30%	5%	0%	0%	100%	Yes
Aluminum	0.30%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	17.00%	35%	0%	100%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		30.40%	4.18%	17.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope®-SLP-02L



MATERIAL DECLARATION

Functional Unit

One 32 gallon junior height waste bin with single top opening, internal rigid liner, integrated bag arms and non-skid glides.


Model & Dimensions

SKU: SLP-02L
 HxWxD: 32" x 16 7/8" x 18 1/8"
 Shipping Weight: 40 lbs.

Color & Finishes

Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green



Total Material Components

- Cold Rolled Steel 67.20%
- Aluminum 0.3%
- Low VOC Powder Paint 1.5%
- Packaging 14%
- LLDPE Plastic Liner 17%



Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).


*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration


The charts to the right detail the materials in the product, local source and pre/post recyclability information.



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ.



Total Recycled Content
 Recycled Content 42.15%
 Non-Recycled Content 57.85%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%


RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	67.20%	30%	5%	0%	0%	100%	Yes
Aluminum	0.30%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	14.00%	35%	0%	100%	0%	100%	Yes
LLDPE Plastic Liner	17.00%	100%	10%	0%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		42.15%	5.00%	14.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope®-SLP-02L-DBL



MATERIAL DECLARATION

Functional Unit

One 32 gallon junior height waste bin with double top opening, internal rigid liner, integrated bag arms and non-skid glides


Model & Dimensions

SKU: SLP-02L-DBL
 HxWxD: 32" x 16 7/8" x 18 1/8"
 Shipping Weight: 40 lbs.

Color & Finishes

Body Color(s): Anodized Silver
 Dark Anthracite
 Lunar White

Top Color(s): Anodized Silver
 Dark Anthracite
 Lunar White
 Capri Blue
 Copper Brown
 Fern Green



Total Material Components

- Cold Rolled Steel 66.20%
- Aluminum 0.3%
- Low VOC Powder Paint 1.5%
- Packaging 13%
- LLDPE Plastic Liner 19%



Interior Design + Construction
 Building Design + Construction
 Building Operations + Maintenance

LEED Product Information

Slope® contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).


*Specify on order if Multi-Lingual pictogram is to be supplied in lieu of Standard English label.

Content Declaration


The charts to the right detail the materials in the product, local source and pre/post recyclability information.



Locally Sourced
 100% of Slope materials are sourced within 95 miles of MG HQ.



Total Recycled Content
 Recycled Content 43.5%
 Non-Recycled Content 56.5%



Post Life Recyclability
 Recyclable 98.5%
 Non Recyclable 1.5%

RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	66.20%	30%	5%	0%	0%	100%	Yes
Aluminum	0.30%	30%	40%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	13.00%	35%	0%	100%	0%	100%	Yes
LLDPE Plastic Liner	19.00%	100%	10%	0%	0%	100%	Yes
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
TOTAL = Σ(TW*COLUMN/100)		43.50%	5.00%	13.00%	0.00%	98.50%	

Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

Slope® Environmental Information



MANUFACTURING PRACTICES

Manufacturing Process

The manufacturing process with Slope® starts with partially recycled steel. The cold rolled carbon steel is formed and given a paint color with a low emitting powder coating.

All steel is sourced locally, within 95 miles of Magnuson Group’s headquarters in Woodridge, IL, where final assembly occurs. Magnuson Group’s vendors are carefully selected based on craftsmanship, location and environmental practices among other considerations.

MAINTENANCE & USE & DISPOSAL

Cleaning

Slope® can be cleaned using a damp cloth and mild non-abrasive cleaner.

Ergonomic











Product is designed for ergonomic use, which will continue to service life.

Recycling

At the end of its life cycle, Slope® can be disassembled and recycled. The body is made primarily of steel, one of the most recycled materials on the planet, and the internal rigid liner is made of plastic, which is also easily recyclable. Receptacle is designed to maximize recycling rates through design, graphics, and signage placement.

MAGNUSON GROUP GENERAL SUSTAINABILITY PRACTICES

Magnuson Group recognizes the importance of being good stewards to the earth. We incorporate positive environmental processes into all facets of the company. Whether the process is administrative in nature, or is in manufacturing, Magnuson Group strives to ensure that environmental concerns are made a part of the system. Some specifics include:

	Type	Description
	Steel	All steel scrap is 100% recycled. Steel is manufactured with 30-40% post consumer material and is 100% recyclable.
	Wood	Magnuson Group strives to always source wood from F.S.C. sources.
	Plastics	Plastics are 100% recyclable.
	Fabrics	Fabrics are manufactured from 100% post consumer materials, and is fire rated to: ASTM E-84 Class 1 or A.
	Aluminum	All aluminum scrap is 100% recycled. Aluminum comes from 10-20% post consumer material and is 100% recyclable.
	Packaging	Packaging comes from a minimum of 35% post consumer material and is 100% recyclable.
	Paints	All paints used are certified to be of low VOC content < 50g per liter. They emit no hazardous air pollutants (HAP) or noxious fumes when exposed to fire NFPA 704 Health = 1, Fire = 1, Reactivity = 0.
	Import	We import products from various countries in Europe. Most but not all are certified ISO 9001-14001 Environmental Management Systems. Please contact us if you need further information.
	Paper	All paper and packaging waste is 100% recycled.
	Plating	Plating is kept to the absolute minimum. Our plater’s meet or exceed all Illinois EPA, Federal EPA, and OSHA mandated standards; all plating is RoHS compliant. Our plating emits no hazardous air pollutants (HAP) or noxious fumes when exposed to fire. We certify that there is no asbestos in any of the products we manufacture or import for sale.